



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

*Am*

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/491,991	01/26/2000	Dean Cheng	081862.P167	9322

7590 05/03/2005  
Blakely Sokoloff Taylor & Zafman LLP  
12400 Wilshire Boulevard  
7th Floor  
Los Angeles, CA 90025

EXAMINER

TODD, GREGORY G

ART UNIT PAPER NUMBER

2157

DATE MAILED: 05/03/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

09/491,991

Applicant(s)

CHENG ET AL

Examiner

Gregory G. Todd

Art Unit

2157

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 17 February 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-68 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-68 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

## **DETAILED ACTION**

### ***Response to Amendment***

1. This is a fifth office action in response to applicant's amendment filed, 17 February 2005, of application filed, with the above serial number, on 26 January 2000 in which no claims have been amended. Claims 1-68 are therefore pending in the application.

### ***Claim Rejections - 35 USC § 103***

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-7, 10-15, 18-24, 27-32, 35-41, 44-49, 52-58, and 61-66 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fukuta et al (hereinafter "Fukuta", 5,090,011) in view of Proctor, Jr. et al (hereinafter "Proctor", 6,563,809).

As per Claims 1, 18, and 52, Fukuta discloses a method, apparatus and a computer program product, wherein Fukuta discloses:

determining a congestion status associated with a node in the network (at least col. 4, lines 55-62; col. 7, lines 39-47); and

broadcasting the congestion status to at least one other node in the network (at least Fig. 1, 13).

Art Unit: 2157

Fukuta fails to explicitly disclose the congestion status notice being broadcast to and associated with a node in one of a single peer group and a hierarchical level.

However, the use and advantages for broadcasting such information is well known to one skilled in the art at the time the invention was made as evidenced by the teachings of Proctor. Proctor teaches broadcasting a congestion indicator signal, including a flag indicator, to identify a base station operating in a congested state and states of neighboring base stations (at least col. 2 line 60 - col. 3 line 4; col. 3 line 66 - col. 4 line 21; also, col. 4, lines 32-65). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of Proctor's hierarchical broadcasting of such congestion notifications into Fukuta's system as this would enhance Fukuta's system so that the congestion notice is sent not only to the source node but, for example, to mobile stations at a lower level and also neighboring base stations within the same peer level in order for affected nodes to be informed and aware of such network properties affecting communication.

As per Claims 2, 19, 36, 53.

measuring a node condition (threshold value) at the node, the node condition corresponding to the congestion status (at least col. 12, lines 1-15).

As per Claims 3, 20, 37, 54.

setting a transit flag, the transit flag being accessible to the at least one other node (at least col. 15, lines 19-26).

As per Claims 4, 12, 21, 29, 38, 46, 55, 63.

the node is one of a transit node and a terminating node (at least Fig. 13).

As per Claims 5, 13, 22, 30, 39, 47, 56, 64.

Fukuta fails to explicitly disclose the node is a logical node in the hierarchical level, the logical node corresponding to a peer group at a next lower level. However, the use and advantages for broadcasting such information is well known to one skilled in the art at the time the invention was made as evidenced by the teachings of Proctor. Proctor teaches broadcasting a congestion indicator signal, including a flag indicator, to identify a base station operating in a congested state and states of neighboring base stations (at least col. 2 line 60 - col. 3 line 4; col. 3 line 66 - col. 4 line 21; also, col. 4, lines 32-65). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of Proctor's hierarchical broadcasting of such congestion notifications into Fukuta's system as this would enhance Fukata's system so that the congestion notice is sent not only to the source node but, for example, to mobile stations at a lower level and also neighboring base stations within the same peer level in order for affected nodes to be informed and aware of such network properties affecting communication.

As per Claims 6, 23, 40, 57.

Fukuta fails to explicitly disclose the at least one other node is one other logical node in the hierarchical level, the one other logical node corresponding to one other peer group at a next lower level. However, the use and advantages for broadcasting such information is well known to one skilled in the art at the time the invention was made as evidenced by the teachings of Proctor. Proctor teaches broadcasting a congestion indicator signal, including a flag indicator, to identify a base station operating in a congested state and states of neighboring base stations (at least col. 2 line 60 - col. 3 line 4; col. 3 line 66 - col. 4 line 21; also, col. 4, lines 32-65). Therefore, it would have

Art Unit: 2157

been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of Proctor's hierarchical broadcasting of such congestion notifications into Fukuta's system as this would enhance Fukata's system so that the congestion notice is sent not only to the source node but, for example, to mobile stations at a lower level and also neighboring base stations within the same peer level in order for affected nodes to be informed and aware of such network properties affecting communication.

As per Claims 7, 15, 24, 32, 41, 49, 58, 66.

the network is an asynchronous mode transfer (ATM) network (at least col. 1, lines 11-20).

As per Claims 10, 27, and 61, Fukuta discloses a method, apparatus, and a computer program product to manage congestion in a network, the method comprising:

receiving a congestion status (congestion notice) associated with a node in network, the congestion status corresponding to a measured node condition at the node and being broadcast by the node; and

routing a call to the node based on the received congestion status (polling) (at least Fig. 26; col. 16, lines 21-40).

Fukuta fails to explicitly disclose the congestion status notice being broadcast to and associated with a node in one of a single peer group and a hierarchical level.

However, the use and advantages for broadcasting such information is well known to one skilled in the art at the time the invention was made as evidenced by the teachings of Proctor. Proctor teaches broadcasting a congestion indicator signal, including a flag indicator, to identify a base station operating in a congested state and states of

Art Unit: 2157

neighboring base stations (at least col. 2 line 60 - col. 3 line 4; col. 3 line 66 - col. 4 line 21; also, col. 4, lines 32-65). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of Proctor's hierarchical broadcasting of such congestion notifications into Fukuta's system as this would enhance Fukata's system so that the congestion notice is sent not only to the source node but, for example, to mobile stations at a lower level and also neighboring base stations within the same peer level in order for affected nodes to be informed and aware of such network properties affecting communication.

As per Claims 11, 28, 45, 62.

accessing a transit flag set by the node, the transit flag corresponding to the congestion status (at least col. 15, lines 54-64)..

As per Claims 14, 31, 48, 65.

routing the call to the node if the node is a terminating node; and

routing the call to the node if the node is a transit node and the congestion status indicates that the node is not congested (polling) (at least Fig. 13, 26; col. 16, lines 21-40).

As per Claim 35, Fukuta discloses a system interfacing to a network wherein Fukuta discloses:

a processor coupled to the network (at least col. 15, lines 19-26); and

a memory coupled to the processor (at least col. 15, lines 19-26), the memory managing congestion in the network, when executed causing the processor to:

determine a congestion status associated with a node the network (at least col. 4, lines 55-62; col. 7, lines 39-47); and

broadcasting the congestion status to at least one other node in the the network (at least Fig. 1, 13).

Fukuta fails to explicitly disclose the congestion status notice being broadcast to and associated with a node in one of a single peer group and a hierarchical level.

However, the use and advantages for broadcasting such information is well known to one skilled in the art at the time the invention was made as evidenced by the teachings of Proctor. Proctor teaches broadcasting a congestion indicator signal, including a flag indicator, to identify a base station operating in a congested state and states of neighboring base stations (at least col. 2 line 60 - col. 3 line 4; col. 3 line 66 - col. 4 line 21; also, col. 4, lines 32-65). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of Proctor's hierarchical broadcasting of such congestion notifications into Fukuta's system as this would enhance Fukuta's system so that the congestion notice is sent not only to the source node but, for example, to mobile stations at a lower level and also neighboring base stations within the same peer level in order for affected nodes to be informed and aware of such network properties affecting communication.

As per Claim 44, Fukuta discloses a system interfacing to a network wherein Fukuta discloses:

a processor coupled to the network (at least col. 15, lines 19-26); and

a memory coupled to the processor (at least col. 15, lines 19-26), the memory managing congestion in the network, when executed causing the processor to:



receive a congestion status (congestion notice) associated with a node in the network, the congestion status corresponding to a measured node condition at the node and being broadcast by the node; and

route a call to the node based on the received congestion status (polling) (at least Fig. 26; col. 16, lines 21-40).

Fukuta fails to explicitly disclose the congestion status notice being broadcast to and associated with a node in one of a single peer group and a hierarchical level. However, the use and advantages for broadcasting such information is well known to one skilled in the art at the time the invention was made as evidenced by the teachings of Proctor. Proctor teaches broadcasting a congestion indicator signal, including a flag indicator, to identify a base station operating in a congested state and states of neighboring base stations (at least col. 2 line 60 - col. 3 line 4; col. 3 line 66 - col. 4 line 21; also, col. 4, lines 32-65). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of Proctor's hierarchical broadcasting of such congestion notifications into Fukuta's system as this would enhance Fukuta's system so that the congestion notice is sent not only to the source node but, for example, to mobile stations at a lower level and also neighboring base stations within the same peer level in order for affected nodes to be informed and aware of such network properties affecting communication.

4. Claims 8-9, 16-17, 25-26, 33-34, 42-43, 50-51, 59-60, and 67-68 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fukuta in view of Proctor and further in view of Fedyk et al (hereinafter "Fedyk", 6,560,654).

As per Claims 8, 16, 25, 33, 42, 50, 59, 67.

Fukuta and Proctor fail to disclose the node being one of a private network-to-network interface (PNNI) node. However, the use and advantages for using such an interface is well known to one skilled in the art at the time the invention was made as evidenced by the teachings of Fedyk. Fedyk discloses using a PNNI interface within his network (at least col. 3, lines 30-45). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate and implement the use of a PNNI node in a network being able to monitor and advertise congestion statuses with other nodes on the network since it would allow for the PNNI node to operate over existing network implementations and therefore enhance the expendability and compatibility of Fukuta and Proctor's network.

As per Claims 9, 17, 26, 34, 43, 51, 60, 68.

Fukuta and Proctor fail to disclose the transit flag being one of a PNNI topology state parameter. However, the use and advantages for using such an interface is well known to one skilled in the art at the time the invention was made as evidenced by the teachings of Fedyk. Fedyk discloses using PNNI topology state packets within his network (at least col. 3, lines 30-45). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate and implement the use of a PNNI topology state in an ATM network enabling monitoring and advertising congestion statuses with other nodes on the network since it would allow for the PNNI node to operate over existing network implementations and therefore enhance the expendability and compatibility of Fukuta and Proctor's network by having the PNNI parameters encapsulated within the packets used on the ATM network.

### ***Response to Arguments***

5. Applicant's arguments filed 17 February 2005 have been fully considered but they are not persuasive. Applicants argue, substantially, that a) there is no motivation to combine Fukuta and Proctor as they do not address managing congestion; b) Fukuta does not suggest broadcasting congestion status to another node; c) Proctor's system communicates at the same level and not a hierarchical level; and d) Fedyk also does not teach determining a congestion status.

In response to applicant's argument a) that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, Proctor clearly teaches a congestion indicator signal to identify a congestion state of a node while Fukuta also teaches packet congestion control.

In addition, in response to applicant's arguments, the recitation of managing congestion has not been given patentable weight because the recitation occurs in the preamble. A preamble is generally not accorded any patentable weight where it merely recites the purpose of a process or the intended use of a structure, and where the body of the claim does not depend on the preamble for completeness but, instead, the process steps or structural limitations are able to stand alone. See *In re Hirao*, 535

Art Unit: 2157

F.2d 67, 190 USPQ 15 (CCPA 1976) and *Kropa v. Robie*, 187 F.2d 150, 152, 88 USPQ 478, 481 (CCPA 1951).

In response to b), Fukuta is not explicitly relied on as having teaching such features. Rather, as recited in the original rejection, Proctor teaches broadcasting a congestion indicator signal, including a flag indicator, to identify a base station operating in a congested state and states of neighboring base stations (at least col. 2 line 60 - col. 3 line 4; col. 3 line 66 - col. 4 line 21; also, col. 4, lines 32-65).

In response to c), As taken from the claims, "a node in one of a single peer group and hierarchical level in the network". Proctor teaches mobile stations receiving and base stations broadcasting a congestion status of the base station. As the claim terminology is not exclusive, even *if* such different stations were not to be hierarchical, as Applicant suggests, such a system would be that of peers and thus as the claim states of a single peer group, Proctor teaches the limitations of the claims as the base station would broadcast the congestion status to a peer mobile station. However, Examiner maintains that the base station is at a higher (hierarchical) level than the mobile station in the network configuration as typically many mobile stations would communicate with at least one single or multiple, smaller in scale however, base station(s) which would communicate with each other over one wired network, for example.

In response to d), Fedyk is not relied for broadcasting congestion status to another node, but rather, as Applicant states, Fedyk teaches using PNNI topology state packets within his network (at least col. 3, lines 30-45). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to

incorporate and implement the use of a PNNI topology state in an ATM network enabling monitoring and advertising congestion statuses with other nodes on the network since it would allow for the PNNI node to operate over existing network implementations and therefore enhance the expendability and compatibility of Fukuta and Proctor's network by having the PNNI parameters encapsulated within the packets used on the ATM network.

### ***Conclusion***

6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Newly cited Li, Yokotani et al, Kapoor, Masuda et al, Illiadis et al, and Anbiah et al, in addition to previously cited Cherukuri et al, Gao et al, Yamato et al, Cha et al, Fukuta et al, Pajuvirta et al, Mairs et al, Daines et al, Song, Murase, Nishihara, Ginossar, Kirschenbaum, and Milles are cited for disclosing pertinent

Art Unit: 2157

information related to the claimed invention. Applicants are requested to consider the prior art reference for relevant teachings when responding to this office action.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gregory G. Todd whose telephone number is (571)272-4011. The examiner can normally be reached on Monday - Friday 9:00am-6:00pm w/ first Fridays off.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ario Etienne can be reached on (571)272-4001. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Gregory Todd

Patent Examiner

Technology Center 2100

  
ARIO ETIENNE  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100